09/835,733

585AAA

CLEAN VERSION OF ALL PENDING CLAIMS

This listing of the claims replaces all prior versions of claims in the application.

LISTING OF THE CLAIMS:

14. (Currently Amended): A hand-held optical scanning device, comprising:
a body including an upper surface having a display mounted thereof;
a handle that extends from a bottom surface of the body, the handle being joined to the body to cause the bottom surface of the body to rest on a surface of a user's hand to facilitate stability and weight distribution, the display having a horizontal configuration; and

a microcomputer that provides a display option in accordance with the horizontal configuration to orient display information on the display based at least in part upon whether a user selects a left hand or right hand display option.

- 15. (Previously Presented): The hand-held optical scanning device of claim 14, the handle being integrally molded with the bottom of the body.
- 16. (Previously Presented): The hand-held optical scanning device of claim 14, comprising a wireless data transmission system for communicating data.
- 17. (Previously Presented): The hand-held optical scanning device of claim 16 being operative in a local area wireless network.
- 18. (Previously Presented): The hand-held optical scanning device of claim 14, the body including a lower housing member and an upper housing member that forms a cover, a resilient sealing member interposed between the lower housing member and cover to form a dust and moisture resistance seal therebetween.
- 19. (Previously Presented): The hand-held optical scanning device of claim 18, the cover including a digital display.

- 20. (Previously Presented): The hand-held optical scanning device of claim 14, the display is configurable to adapt to a user's preference, the users preference including at least one of the horizontal configuration and a vertical configuration.
- 21. (Currently Amended): A hand-held optical scanning device, comprising:
 a body having an optical scanning module arranged to scan objects in a
 direction outward from a first distal end, the body including an upper surface having a
 display mounted thereof; and

a handle that extends from a bottom surface of the body at the first distal end to increase a viewing angle of the display, the handle being joined to the body to cause a proximal end of [[a]] the bottom surface of the body to rest on a radial surface of a user's hand to provide support.

- 22. (Previously Presented): The hand-held optical scanning device of claim 21, the handle including a trigger.
- 23. (Previously Presented): The hand-held optical scanning device of claim 22, the trigger being a two-finger trigger.
- 24. (Previously Presented): The hand-held optical scanning device of claim 22, the trigger facilitating at least one of the following functions: read only, read and store, and scroll menu utility.
- 25. (Previously Presented): The hand-held optical scanning device of claim 21, further comprising a resilient member between a lower body member and cover, the resilient member extending a distance beyond the lower body member and cover a substantial portion of a periphery of the body.
- 26. (Previously Presented): The hand-held optical scanning device of claim 25, the resilient member providing a bumping surface that protects the users hand.

585AAA

- 27. (Previously Presented): The hand-held optical scanning device of claim 25, the resilient member providing a bumping surface that protects the device.
- 28. (Previously Presented): The hand-held optical scanning device of claim 21, the handle being integrally molded with the bottom of the body.
- 29. (Previously Presented): The hand-held optical scanning device of claim 21, comprising a wireless data transmission system for communicating data.
- 30. (Previously Presented): The hand-held optical scanning device of claim 21, the body including a lower housing member and an upper housing member that forms a cover, a resilient scaling member interposed between the lower housing member and cover to form a dust and moisture resistance scal therebetween.
- 31. (Previously Presented): The hand-held optical scanning device of claim 30, the cover including a digital display.
- 32. (Previously Presented): The hand-held optical scanning device of claim 21, further comprising a display that is configurable to adapt to a user's preference.
- 33. (Previously Presented): The hand-held optical scanning device of claim 32, the display being configurable vertically and horizontally.
- 34. (Previously Presented): The hand-held optical scanning device of claim 32, the display being configurable to provide portrait and landscape views.
- 35. (New): The hand-held optical scanning device of claim 14 wherein the bottom surface is a contoured bottom surface.
- 36. (New): The hand-held optical scanning device of claim 14, wherein the display is a touch sensitive data entry display.

09/835,733

585AAA

- 37. (New): The hand-held optical scanning device of claim 21, wherein the bottom surface is a contoured bottom surface.
- 38. (New): The hand-held optical scanning device of claim 21, wherein the display is a touch sensitive data entry display.